



**G.A.L. Manufacturing Corporation** 50 East 153rd Street, Bronx, NY 10451  
 Toll Free (877) 425-3538 Fax (718) 292-2034 E-mail info@gal.com Web www.gal.com

**POWER OPERATED SINGLE SPEED CAR & HATCH DOORS**  
 22" to 48" x 84" DOOR OPENINGS

**NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS**

ISSUE DATE: 5/1/2008

**MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)**

| QTY      | TYPE   | DESCRIPTION  | LIST     |
|----------|--|--|----------|
| 1        | MODL   | STANDARD DUTY (22" to 42" OPENINGS)  | 1,098.00 |
|          | MOHL   | HEAVY DUTY (22" to 42" OPENINGS)   | 1,787.00 |
|          |  | HEAVY DUTY - WITH POWER GEARING (43" to 48" OPENINGS)                                    | 1,984.00 |
|          | MODCTL   | STANDARD DUTY - CAR TOP CONTROL (22" to 42" OPENINGS)                                    | 1,907.00 |
|          | MOHCTL   | HEAVY DUTY - CAR TOP CONTROL (22" to 42" OPENINGS)                                       | 2,486.00 |
|          |  | HEAVY DUTY - CAR TOP CONTROL, WITH POWER GEARING (43" to 48" OPENINGS)                   | 2,683.00 |
| MOVFR II | V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (22" to 48" OPENINGS) | 2,044.00   |          |
| 1        | G  | GATE SWITCH ASSY (MANDATORY ITEM) (22" to 48" OPENINGS)                                  | 74.00    |
|          |  | SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (22" to 48" OPENINGS) | 99.00    |

**CAR DOOR EQUIPMENT**

| QTY | TYPE  | DESCRIPTION   | LIST   |
|-----|-------|---|--------|
| 1   | S/S   | CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK, AND HEADER |        |
|     |       | (22" to 42" OPENINGS)                                   | 173.00 |
|     |       | (43" to 48" OPENINGS)                                   | 302.00 |
| 1   | LWZ-2 | CAR DOOR CLUTCH WITH ZONE LOCK (A)                      | 518.00 |

**HATCH DOOR EQUIPMENT**

NOTE: \* ONE REQUIRED PER HATCH OPENING

| QTY | TYPE | DESCRIPTION   | LIST   |
|-----|------|---|--------|
| *   | S/S  | HATCH DOOR HANGER W/: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), & TRACK |        |
|     |      | (22" to 42" OPENINGS)   | 94.00  |
|     |      | (43" to 48" OPENINGS)   | 150.00 |
| *   | S/S  | SPRING DOOR CLOSER  | 57.00  |
| *   | MOH  | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE)          | 124.00 |

**OPTIONAL DOOR EQUIPMENT**

| QTY | TYPE     | DESCRIPTION  | LIST   |
|-----|----------|--|--------|
| 1   | DPFS     | FORMULA SYSTEMS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)  | 500.00 |
|     |          | FORMULA SYSTEMS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY) | 441.00 |
|     | DPTT     | TRI-TRONICS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)      | 782.00 |
|     |          | TRI-TRONICS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)     | 721.00 |
| 1   | FM       | DOOR TAMPERING MONITOR (C)                                     | 432.00 |
| 1   |          | FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)           | 50.00  |
| 1   | KMO      | KEY  | 13.00  |
| 1   | Handheld | HAND HELD PARAMETER UNIT WITH 7FT. CABLE                       | 185.00 |

FOR USE WITH  
MOVFR II OPERATORS

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



**POWER OPERATED TWO SPEED CAR & HATCH DOORS**  
**24" to 72" x 84" DOOR OPENINGS**

| <b>NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS</b>                          |          |   |                      |
|---|----------|---|----------------------|
|   |          |   | ISSUE DATE: 5/1/2008 |
| <b>MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)</b> |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| 1   | MODL     | STANDARD DUTY (24" to 59" OPENINGS)   | 1,098.00             |
|   | MOHL     | HEAVY DUTY (24" to 59" OPENINGS)  | 1,787.00             |
|   |          | HEAVY DUTY - WITH POWER GEARING (60" to 72" OPENINGS)   | 1,984.00             |
|   | MODCTL   | STANDARD DUTY - CAR TOP CONTROL (24" to 59" OPENINGS)   | 1,907.00             |
|   | MOHCTL   | HEAVY DUTY - CAR TOP CONTROL (24" to 59" OPENINGS)  | 2,486.00             |
|   |          | HEAVY DUTY - CAR TOP CONTROL, WITH POWER GEARING (60" to 72" OPENINGS)  | 2,683.00             |
| 1   | G        | V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (24" to 72" OPENINGS)  | 2,044.00             |
|   |          | GATE SWITCH ASSY (MANDATORY ITEM) (24" to 72" OPENINGS)   | 74.00                |
|   |          | SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (24" to 72" OPENINGS)  | 99.00                |
| <b>CAR DOOR EQUIPMENT</b>   |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| 1   | 2/SP     | CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (UNGEARED), AND HEADER (24" to 29" OPENINGS)  | 407.00               |
|   |          | (30" to 48" OPENINGS)   | 315.00               |
|   |          | (49" to 64" OPENINGS)   | 444.00               |
|   |          | (65" to 72" OPENINGS)   | 573.00               |
| 1   | LWZ-2    | CAR DOOR CLUTCH WITH ZONE LOCK (A)  | 518.00               |
| <b>HATCH DOOR EQUIPMENT</b>   |          |   |                      |
| NOTE: * ONE REQUIRED PER HATCH OPENING  |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| *   | 2/SP     | HATCH DOOR HANGER WITH: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), TRACK (UNGEARED), & MECHANICAL INTERCONNECTING DEVICE (C) (24" to 29" OPENINGS) | 284.00               |
|   |          | (30" to 48" OPENINGS)   | 207.00               |
|   |          | (49" to 64" OPENINGS)   | 262.00               |
|   |          | (65" to 72" OPENINGS)   | 318.00               |
| *   | 2/SP     | SPRING DOOR CLOSER (24" to 48" OPENINGS)  | 84.00                |
|   |          | (49" to 66" OPENINGS W/ DUAL SPRINGS)   | 139.00               |
|   |          | (67" to 72" OPENINGS W/ DUAL SPRINGS)   | 195.00               |
| *   | MOH      | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) (24" to 52" OPENINGS)  | 124.00               |
|   |          | (53" to 72" OPENINGS)   | 136.00               |
| <b>OPTIONAL DOOR EQUIPMENT</b>  |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| 1   | DPFS     | FORMULA SYSTEMS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)   | 500.00               |
|   |          | FORMULA SYSTEMS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)  | 441.00               |
| 1   | DPTT     | TRI-TRONICS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)   | 782.00               |
|   |          | TRI-TRONICS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)  | 721.00               |
| 1   | FM       | DOOR TAMPERING MONITOR (C)  | 432.00               |
| 1   |          | FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)  | 50.00                |
| 1   | KMO      | KEY   | 13.00                |
| 1   | Handheld | HAND HELD PARAMETER UNIT WITH 7FT. CABLE  | 185.00               |
|   |          | FOR USE WITH MOVFR II OPERATORS   |                      |

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) MECHANICAL INTERCONNECTING DEVICE COMPLIES WITH: ASME A17.1 RULE 110.11g, CAN/CSA-B44-94 RULE 2.12.2.1.7
- (D) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5

**PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.**

**F.O.B. BRONX, NEW YORK**  
**PRICES SUBJECT TO CHANGE WITHOUT NOTICE**



**G.A.L. Manufacturing Corporation** 50 East 153rd Street, Bronx, NY 10451  
 Toll Free (877) 425-3538 Fax (718) 292-2034 E-mail info@gal.com Web www.gal.com

**POWER OPERATED THREE SPEED CAR & HATCH DOORS**  
**30" to 72" x 84" DOOR OPENINGS (MINIMUM DOOR PANEL: 12 1/2" WIDE)**

| <b>NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS</b>                          |             |   |                             |        |
|---|-------------|---|-----------------------------|--------|
|   |             |   | <b>ISSUE DATE: 5/1/2008</b> |        |
| <b>MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)</b> |             |   |                             |        |
| <b>QTY</b>  | <b>TYPE</b> | <b>DESCRIPTION</b>  | <b>LIST</b>                 |        |
| 1   | MODL        | STANDARD DUTY (30" to 59" OPENINGS)   | 1148.00                     |        |
|   | MOHL        | HEAVY DUTY (30" to 59" OPENINGS)  | 1842.00                     |        |
|   |             | HEAVY DUTY - WITH POWER GEARING (60" to 72" OPENINGS)   | 2039.00                     |        |
|   | MODCTL      | STANDARD DUTY - CAR TOP CONTROL (30" to 59" OPENINGS)   | 1962.00                     |        |
|   |             | HEAVY DUTY - CAR TOP CONTROL (30" to 59" OPENINGS)  | 2541.00                     |        |
|   | MOHCTL      | HEAVY DUTY - CAR TOP CONTROL, WITH POWER GEARING (60" to 72" OPENINGS)  | 2739.00                     |        |
| 1   | G           | V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (30" to 72" OPENINGS)  | 2095.00                     |        |
|   |             | GATE SWITCH ASSY (MANDATORY ITEM) (30" to 72" OPENINGS)   | 74.00                       |        |
|   |             | SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (30" to 72" OPENINGS)  | 99.00                       |        |
| <b>CAR DOOR EQUIPMENT</b>   |             |   |                             |        |
| <b>QTY</b>  | <b>TYPE</b> | <b>DESCRIPTION</b>  | <b>LIST</b>                 |        |
| 1   | 3/SP        | CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK, AND HEADER   |                             |        |
|   |             | CABLE GEARED INTERMEDIATE TO SLOW DOOR (30" to 48" OPENINGS)  | 616.00                      |        |
|   |             | CABLE GEARED INTERMEDIATE TO SLOW DOOR (49" to 59" OPENINGS)  | 894.00                      |        |
|   |             | CABLE GEARED INTERMEDIATE TO SLOW DOOR (60" to 69" OPENINGS)  | 1078.00                     |        |
|   |             | UNGEARED (70" to 72" OPENINGS)  | 1356.00                     |        |
| 1   | LWZ-2       | CAR DOOR CLUTCH WITH ZONE LOCK (A)  | 518.00                      |        |
| <b>HATCH DOOR EQUIPMENT</b>   |             |   |                             |        |
| <b>NOTE: * ONE REQUIRED PER HATCH OPENING</b>                                     |             |   |                             |        |
| <b>QTY</b>  | <b>TYPE</b> | <b>DESCRIPTION</b>  | <b>LIST</b>                 |        |
| *   | 3/SP        | HATCH DOOR HANGER WITH: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), TRACK UNGEARED, & (2) MECHANICAL (UNGEARED), & (2) MECHANICAL INTERCONNECTING DEVICE(c) |                             |        |
|   |             | (30" to 48" OPENINGS)   | 404.00                      |        |
|   |             | (49" to 59" OPENINGS)   | 576.00                      |        |
|   |             | (60" to 69" OPENINGS)   | 715.00                      |        |
|   |             | (70" to 72" OPENINGS)   | 888.00                      |        |
| *   | 3/SP        | SPRING DOOR CLOSER (SHOE TYPE)  | (30" to 69" OPENINGS)       | 524.00 |
|   |             |   | (70" to 72" OPENINGS)       | 678.00 |
| *   | MOH         | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE)  | (30" to 54" OPENINGS)       | 124.00 |
|   |             |   | (55" to 69" OPENINGS)       | 136.00 |
|   |             |   | (70" to 72" OPENINGS)       | 179.00 |
| <b>OPTIONAL DOOR EQUIPMENT</b>  |             |   |                             |        |
| <b>QTY</b>  | <b>TYPE</b> | <b>DESCRIPTION</b>  | <b>LIST</b>                 |        |
| 1   | DPFS        | FORMULA SYSTEMS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)   | 500.00                      |        |
|   |             | FORMULA SYSTEMS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)  | 441.00                      |        |
| 1   | DPTT        | TRI-TRONICS STANDARD POWER SUPPLY (TRADITIONAL OPERATORS)   | 782.00                      |        |
|   |             | TRI-TRONICS INTEGRATED POWER SUPPLY (MOVFR OPERATORS ONLY)  | 721.00                      |        |
| 1   | FM          | DOOR TAMPERING MONITOR (C)  | 432.00                      |        |
| 1   |             | FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)  | 50.00                       |        |
| 1   | KMO         | KEY   | 13.00                       |        |
| 1   | Handheld    | HAND HELD PARAMETER UNIT WITH 7FT. CABLE  | 185.00                      |        |
|   |             | <i>FOR USE WITH MOVFR II OPERATORS</i>  |                             |        |

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) MECHANICAL INTERCONNECTING DEVICES COMPLY WITH: ASME A17.1 RULE 110.11g, CAN/CSA-B44-94 RULE 2.12.2.1.7
- (D) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5

**PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.**
  
**F.O.B. BRONX, NEW YORK**  
**PRICES SUBJECT TO CHANGE WITHOUT NOTICE**



**G.A.L. Manufacturing Corporation** 50 East 153rd Street, Bronx, NY 10451  
 Toll Free (877) 425-3538 Fax (718) 292-2034 E-mail info@gal.com Web www.gal.com

**POWER OPERATED SINGLE SPEED CENTER PARTING CAR & HATCH DOORS**  
**30" to 83" x 84" DOOR OPENINGS**

| <b>NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS</b>                          |          |   |                      |
|---|----------|---|----------------------|
|   |          |   | ISSUE DATE: 5/1/2008 |
| <b>MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)</b> |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| 1   | MODL     | STANDARD DUTY (30" to 59" OPENINGS)   | 1,202.00             |
|   | MOHL     | HEAVY DUTY (30" to 83" OPENINGS)  | 1,728.00             |
|   | MODCTL   | STANDARD DUTY - CAR TOP CONTROL (30" to 59" OPENINGS)   | 1,838.00             |
|   | MOHCTL   | HEAVY DUTY - CAR TOP CONTROL (30" to 83" OPENINGS)  | 2,364.00             |
|   | MOVFR II | V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (30" to 83" OPENINGS)                              | 2,148.00             |
| 1   | G        | GATE SWITCH ASSY (MANDATORY ITEM) (30" to 83" OPENINGS)   | 74.00                |
|   |          | SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (30" to 83" OPENINGS)          | 99.00                |
| <b>CAR DOOR EQUIPMENT</b>   |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| 1   | C/P      | CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (UNGEARED), AND HEADER (30" to 50" OPENINGS)          | 324.00               |
|   |          | (51" to 59" OPENINGS)   | 453.00               |
|   |          | (60" to 68" OPENINGS)   | 583.00               |
|   |          | (69" to 83" OPENINGS)   | 712.00               |
| 1   | LWZ-2    | CAR DOOR CLUTCH WITH ZONE LOCK (A) (30" to 83" OPENINGS)  | 518.00               |
| 1   | LW2      | ADDITIONAL CAR DOOR CLUTCH (60" to 83" OPENINGS)  | 415.00               |
| <b>HATCH DOOR EQUIPMENT</b>   |          |   |                      |
| NOTES: * ONE REQUIRED PER HATCH OPENING<br>** TWO REQUIRED PER HATCH OPENING      |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| *   | C/P      | HATCH DOOR HANGER W/: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), & TRACK (D)                       |                      |
|   |          | CABLE GEARED (30" to 50" OPENINGS)  | 213.00               |
|   |          | CABLE GEARED (51" to 59" OPENINGS)  | 268.00               |
|   |          | UNGEARED W/ BUMPERS (60" to 68" OPENINGS)   | 324.00               |
|   |          | UNGEARED W/ BUMPERS (69" to 83" OPENINGS)   | 379.00               |
| *   | C/P      | SPRING DOOR CLOSER (30" to 59" OPENINGS)  | 57.00                |
| **  |          | SPRING DOOR CLOSER \$57.00 EA. (60" to 83" OPENINGS)  | 114.00               |
| *   | MOCPH    | INTERLOCK (SWITCH, KEEPERS, ROLLER RELEASE, LINKAGE & HARDWARE) (30" to 59" OPENINGS)             | 185.00               |
| **  | MOH      | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$124.00 EA. (60" to 79" OPENINGS) | 248.00               |
|   |          | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$136.00 EA. (80" to 83" OPENINGS) | 272.00               |
| <b>OPTIONAL DOOR EQUIPMENT</b>  |          |   |                      |
| QTY   | TYPE     | DESCRIPTION   | LIST                 |
| 1   | DPFS     | FORMULA SYSTEMS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)                                    | 500.00               |
|   |          | FORMULA SYSTEMS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)                                   | 441.00               |
| 1   | DPTT     | TRI-TRONICS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)  | 782.00               |
|   |          | TRI-TRONICS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)                                       | 721.00               |
| 1   | FM       | DOOR TAMPERING MONITOR (C)  | 432.00               |
| 1   |          | FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)  | 50.00                |
| 1   | KMO      | KEY   | 13.00                |
| 1   | Handheld | HAND HELD PARAMETER UNIT WITH 7FT. CABLE  | 185.00               |
|   |          | FOR USE WITH<br>MOVFR II OPERATORS  |                      |

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5
- (D) SPLIT CAR & HATCH DOOR TRACKS FURNISHED WITH DOOR OPENINGS 60" TO 83"



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



**G.A.L. Manufacturing Corporation** 50 East 153rd Street, Bronx, NY 10451  
 Toll Free (877) 425-3538 Fax (718) 292-2034 E-mail info@gal.com Web www.gal.com

**POWER OPERATED TWO SPEED CENTER PARTING CAR & HATCH DOORS**  
 33" to 83" x 84" DOOR OPENINGS (MINIMUM DOOR PANEL: 12 1/2" WIDE)

| NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS                          |          |  |                                 |          |
|--|----------|--|---------------------------------|----------|
|  |          |  | ISSUE DATE                      | 5/1/2008 |
| MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch) |          |  |                                 |          |
| QTY  | TYPE     | DESCRIPTION  | LIST                            |          |
| 1  | MODL     | STANDARD DUTY (33" to 59" OPENINGS)  | 1,202.00                        |          |
|  | MOHL     | HEAVY DUTY (33" to 83" OPENINGS)   | 1,728.00                        |          |
|  | MODCTL   | STANDARD DUTY - CAR TOP CONTROL (33" to 59" OPENINGS)  | 1,838.00                        |          |
|  | MOHCTL   | HEAVY DUTY - CAR TOP CONTROL (33" to 83" OPENINGS)   | 2,364.00                        |          |
|  | MOVFR II | V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (33" to 83" OPENINGS)   | 2,148.00                        |          |
| 1  | G        | GATE SWITCH ASSY (MANDATORY ITEM) (33" to 83" OPENINGS)  | 74.00                           |          |
|  |          | SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (33" to 83" OPENINGS)   | 99.00                           |          |
| CAR DOOR EQUIPMENT   |          |  |                                 |          |
| QTY  | TYPE     | DESCRIPTION  | LIST                            |          |
| 1  | 2SP/CP   | CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (E) (UNGEARED), AND HEADER (33" to 59" OPENINGS)   | 740.00                          |          |
|  |          | (60" to 69" OPENINGS)  | 869.00                          |          |
|  |          | (70" to 73" OPENINGS)  | 998.00                          |          |
|  |          | (74" to 83" OPENINGS)  | 1,075.00                        |          |
| 1  | LWZ-2    | CAR DOOR CLUTCH WITH ZONE LOCK (A) (33" to 83" OPENINGS)   | 518.00                          |          |
| 1  | LW2      | ADDITIONAL CAR DOOR CLUTCH (33" to 83" OPENINGS)   | 415.00                          |          |
| HATCH DOOR EQUIPMENT   |          |  |                                 |          |
| NOTES: * ONE REQUIRED PER HATCH OPENING                                    |          |  |                                 |          |
| ** TWO REQUIRED PER HATCH OPENING  |          |  |                                 |          |
| QTY  | TYPE     | DESCRIPTION  | LIST                            |          |
| *  | 2SP/CP   | HATCH DOOR HANGER WITH: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), TRACK (E) (UNGEARED W/ BUMPERS), & (2) MECHANICAL INTERCONNECTING DEVICE (C) (33" to 59" OPENINGS) | 462.00                          |          |
|  |          | (60" to 69" OPENINGS)  | 518.00                          |          |
|  |          | (70" to 83" OPENINGS)  | 573.00                          |          |
| **   | 2SP/CP   | SPRING DOOR CLOSER \$84.00 EA.   | 168.00                          |          |
| **   | MOH      | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$124.00 EA. (33" to 79" OPENINGS)  | 248.00                          |          |
|  |          | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$136.00 EA. (80" to 83" OPENINGS)  | 272.00                          |          |
| OPTIONAL DOOR EQUIPMENT  |          |  |                                 |          |
| QTY  | TYPE     | DESCRIPTION  | LIST                            |          |
| 1  | DPFS     | FORMULA SYSTEMS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)   | 500.00                          |          |
|  |          | FORMULA SYSTEMS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)  | 441.00                          |          |
| 1  | DPTT     | TRI-TRONICS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)   | 782.00                          |          |
|  |          | TRI-TRONICS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)  | 721.00                          |          |
| 1  | FM       | DOOR TAMPERING MONITOR (D)   | 432.00                          |          |
| 1  |          | FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)   | 50.00                           |          |
| 1  | KMO      | KEY  | 13.00                           |          |
| 1  | Handheld | HAND HELD PARAMETER UNIT WITH 7FT. CABLE   | FOR USE WITH MOVFR II OPERATORS | 185.00   |

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) MECHANICAL INTERCONNECTING DEVICES COMPLY WITH: ASME A17.1 RULE 110.11g, CAN/CSA-B44-94 RULE 2.12.2.1.7
- (D) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5
- (E) SPLIT CAR & HATCH DOOR TRACK FURNISHED WITH DOOR OPENINGS 74" TO 83"



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE



**G.A.L. Manufacturing Corporation** 50 East 153rd Street, Bronx, NY 10451  
 Toll Free (877) 425-3538 Fax (718) 292-2034 E-mail info@gal.com Web www.gal.com

**POWER OPERATED TWO SPEED CENTER PARTING CAR DOORS WITH  
 POWER OPERATED SINGLE SPEED CENTER PARTING HATCH DOORS**

33" to 83" x 84" DOOR OPENINGS (MINIMUM DOOR PANEL: 12 1/2" WIDE)

**NORMAL DISCOUNT TO QUALIFIED ELEVATOR CONTRACTORS**

ISSUE DATE: 5/1/2008

**MASTER DOOR OPERATOR: DRIVE ARM AND EQUIPPED FOR NUDGING (Add Gate Switch)**

| QTY | TYPE     | DESCRIPTION  | LIST     |
|-----|----------|--|----------|
| 1   | MODL     | STANDARD DUTY (33" to 59" OPENINGS)  | 1,202.00 |
|     | MOHL     | HEAVY DUTY (33" to 83" OPENINGS)   | 1,728.00 |
|     | MODCTL   | STANDARD DUTY - CAR TOP CONTROL (33" to 59" OPENINGS)                                    | 1,838.00 |
|     | MOHCTL   | HEAVY DUTY - CAR TOP CONTROL (33" to 83" OPENINGS)                                       | 2,364.00 |
|     | MOVFR II | V V V F - HEAVY DUTY (ENCODERLESS CLOSED LOOP) (33" to 83" OPENINGS)                     | 2,148.00 |
| 1   | G        | GATE SWITCH ASSY (MANDATORY ITEM) (33" to 83" OPENINGS)                                  | 74.00    |
|     |          | SHIELDED GATE SWITCH ASSY (MANDATORY ITEM FOR NORTH CAROLINA JOBS) (33" to 83" OPENINGS) | 99.00    |

**CAR DOOR EQUIPMENT**

| QTY | TYPE   | DESCRIPTION  | LIST     |
|-----|--------|--|----------|
| 1   | 2SP/CP | CAR DOOR HANGER WITH: 3 1/4" ROLLERS, TRACK (D) (UNGEARED), AND HEADER (33" to 59" OPENINGS) | 740.00   |
|     |        | (60" to 69" OPENINGS)  | 869.00   |
|     |        | (70" to 73" OPENINGS)  | 998.00   |
|     |        | (74" to 83" OPENINGS)  | 1,075.00 |
| 1   | LWZ-2  | CAR DOOR CLUTCH WITH ZONE LOCK (A) (33" to 83" OPENINGS)                                     | 518.00   |
| 1   | LW2    | ADDITIONAL CAR DOOR CLUTCH (60" to 83" OPENINGS)   | 415.00   |
| 1   |        | DOOR LINK AND BRACKET (33" to 59" OPENINGS)  | 44.00    |

**HATCH DOOR EQUIPMENT**

NOTES: \* - ONE REQUIRED PER HATCH OPENING  
 \*\* - TWO REQUIRED PER HATCH OPENING

| QTY | TYPE  | DESCRIPTION  | LIST   |
|-----|-------|--|--------|
| *   | C/P   | HATCH DOOR HANGER W/: 3 1/4" ROLLERS, TOP SAFETY RETAINERS (B), & TRACK (D) CABLE GEARED (33" to 50" OPENINGS) | 213.00 |
|     |       | CABLE GEARED (51" to 59" OPENINGS)   | 268.00 |
|     |       | UNGEARED W/ BUMPERS (60" to 68" OPENINGS)  | 324.00 |
|     |       | UNGEARED W/ BUMPERS (69" to 83" OPENINGS)  | 379.00 |
| *   | C/P   | SPRING DOOR CLOSER (33" to 59" OPENINGS)   | 57.00  |
| **  |       | SPRING DOOR CLOSER \$57.00 EA. (60" to 83" OPENINGS)   | 114.00 |
| *   | MOCPH | INTERLOCK (SWITCH, KEEPERS, ROLLER RELEASE, LINKAGE & HARDWARE) (33" to 59" OPENINGS)                          | 185.00 |
| **  | MOH   | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$124.00 EA. (33" to 79" OPENINGS)              | 248.00 |
|     |       | INTERLOCK (SWITCH, KEEPER, ROLLER RELEASE, LINKAGE & HARDWARE) \$136.00 EA. (80" to 83" OPENINGS)              | 272.00 |

**OPTIONAL DOOR EQUIPMENT**

| QTY | TYPE     | DESCRIPTION   | LIST   |
|-----|----------|---|--------|
| 1   | DPFS     | FORMULA SYSTEMS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)  | 500.00 |
|     |          | FORMULA SYSTEMS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY) | 441.00 |
| 1   | DPTT     | TRI-TRONICS STANDARD POWER SUPPLY ( TRADITIONAL OPERATORS)      | 782.00 |
|     |          | TRI-TRONICS INTEGRATED POWER SUPPLY ( MOVFR OPERATORS ONLY)     | 721.00 |
| 1   | FM       | DOOR TAMPERING MONITOR (C)                                      | 432.00 |
| 1   |          | FLUSH TYPE KEY BOX (# 4 SATIN STAINLESS STEEL COVER)            | 50.00  |
| 1   | KMO      | KEY   | 13.00  |
| 1   | Handheld | HAND HELD PARAMETER UNIT WITH 7FT. CABLE                        | 185.00 |

**CODE REQUIREMENTS**

- (A) ZONE LOCK COMPLIES WITH: ASME A17.1 RULE 111.12, CAN/CSA-B44-94 RULE 3.6.5.6
- (B) TOP SAFETY RETAINERS COMPLY WITH: ASME A17.1 RULE 110.11h, CAN/CSA-B44-94 RULE 2.11.10.5
- (C) FM DOOR TAMPERING MONITOR COMPLIES WITH: ASME A17.1 RULE 210.15, CAN/CSA-B44-M90 RULE 3.12.1.5
- (D) SPLIT CAR DOOR TRACK FURNISHED WITH DOOR OPENINGS 74" TO 83"
- SPLIT HATCH DOOR TRACK FURNISHED WITH DOOR OPENINGS 60" TO 83"



PRICES BASED ON G.A.L. STANDARD CLEARANCE AND SPACE REQUIREMENTS.



F.O.B. BRONX, NEW YORK  
 PRICES SUBJECT TO CHANGE WITHOUT NOTICE